

# R-DRHDG Ring collated nails with fuel cells - hot deep galvanized

Ring shank hot dipped galvanised nails for timber framing, roofing and wooden facades installation



## Certificate



## Product information

### Features and benefits

- 34° angle collation with a clipped head ensures the nail is compatible with all leading manufacturers tools
- Special coating at the base of the shank improves the drive of the nail and ensures a secure fixing
- Diamond point prevents the timber from splitting
- Waxed paper collation avoids deterioration in wet conditions
- [English]: taczanie taśmą plastikową
- Minimum of 50 micron zinc coating provides high corrosion protection
- Depending on the quantity of nails box contains 1,2 or 3 fuel cells

### Applications



- Timber frame stud work in timber framing industry
- Installation of battens and sheathing in roof construction
- Installation of soffits and other roof finishing elements
- Installation of wooden facades

### Base materials

- Timber
- Plywood
- Chipboard
- Wood

### Corresponding products

- R-RAWL-WW90CH Gas powered framing nailer
- R-WW90II Gas powered framing nailer



## Product commercial data

Index	Fastener diameter	Length	Head type	Shank type	Finish	Protection	Fasteners per strip	Carton quantity	Fuel cells per carton	Collation	Box weight	Outer weight	EAN
	[mm]	[mm]					[pcs]	[pcs]	[pcs]		kg	kg	
R-DRHDG-2851	2.8	51	Clipped head	Ring	Hot dip-ped galvanised	Minimum 50 microns	44	3300	3	34° paper laminated	10.14	10.14	59066750 47478
R-DRHDG-2863	2.8	63	Clipped head	Ring	Hot dip-ped galvanised	Minimum 50 microns	44	3300	3	34° paper laminated	11.33	11.33	59066750 47485
R-DRHDG-3175	3.1	75	Clipped head	Ring	Hot dip-ped galvanised	Minimum 50 microns	44	2200	2	34° paper laminated	10.47	10.47	59066750 47492
R-DRHDG-3190	3.1	90	Clipped head	Ring	Hot dip-ped galvanised	Minimum 50 microns	44	2200	2	34° paper laminated	12.45	12.45	59066750 47508
SPG-DRHDG-2851	2.8	51	Clipped head	Ring	Hot dip-ped galvanised	Minimum 50 microns	44	3300	0	34° paper laminated	10.14	10.14	59066755 00904
SPG-DRHDG-2863	2.8	63	Clipped head	Ring	Hot dip-ped galvanised	Minimum 50 microns	44	3300	0	34° paper laminated	11.33	11.33	59066755 00911
SPG-DRHDG-3175	3.1	75	Clipped head	Ring	Hot dip-ped galvanised	Minimum 50 microns	44	2200	0	34° paper laminated	10.47	10.47	59066755 00928
SPG-DRHDG-3190	3.1	90	Clipped head	Ring	Hot dip-ped galvanised	Minimum 50 microns	44	2200	0	34° paper laminated	12.45	12.45	59066755 00935