

## D-WB Joist hangers

Universal joist hanger for connection of wood construction elements



### Approvals and Reports

- ETA-12/0523



### Product information

#### Features and benefits

- Connection of wooden construction elements
- Steel sheet thickness: 2.0 mm
- Zinc electroplated for enhanced corrosion resistance
- Anti-corrosion coating thickness min. 8µm

#### Applications

- Wooden constructions
- Purlin connections
- Wooden roof constructions
- Pergolas, bowers, sheds

#### Base materials

##### Approved for use in:

- Timber

### Installation guide

1. Choose the right size of wood connector
2. Set the connector in required place and position
3. Fasten the connector using anchor nails or adequate screws
4. Place another element and fasten it secure



## Product commercial data

Product Code	Connector dimensions			Quantity [pcs]			Weight [kg]			Bar Codes
	Dimensions [mm]		s x X [mm]	Box	Outer	Pallet	Box	Outer	Pallet	
D-WB-411 <sup>1)</sup>	40	110	-	50	50	900	15.2	15.2	303.4	5906675412122
D-WB-510 <sup>1)</sup>	50	105	-	50	50	1200	14.8	14.8	385.2	5906675412221
D-WB-516 <sup>1)</sup>	50	165	2 x 50	40	40	960	17.7	17.7	455.6	5906675418124
D-WB-610 <sup>1)</sup>	60	100	-	20	20	800	6.0	6.0	268.1	5906675412320
D-WB-613 <sup>1)</sup>	60	130	1 x 50	40	40	960	14.5	14.5	377.5	5906675412429
D-WB-712 <sup>1)</sup>	70	125	1 x 50	20	20	720	7.4	7.4	295.5	5906675412528
D-WB-812 <sup>1)</sup>	80	120	1 x 50	20	20	720	7.3	7.3	293.3	5906675412726
D-WB-815 <sup>1)</sup>	80	150	1 x 60	25	25	600	10.7	10.7	286.3	5906675412825
D-WB-818 <sup>1)</sup>	80	180	2 x 60	25	25	600	13.5	13.5	354.8	5906675418223
D-WB-914 <sup>1)</sup>	90	145	2 x 60	25	25	600	11.8	11.8	313.6	5906675412924
D-WB-1014 <sup>1)</sup>	100	140	1 x 60	25	25	600	11.1	11.1	296.9	5906675412023
D-WB-1020 <sup>1)</sup>	100	200	2 x 60	20	20	480	12.2	12.2	322.2	5906675418025

1) ETA-12/0523