Safety Data Sheet According to Regulation (EC) No 1907/2006

Fuel Cells For Nailer

Version 1.0

Issue date: 16/12/2014

Revision date: 16/12/2014

SDS Record Number: CSSS-TCO-010-100006

Section 1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier:	
-------------------------	--

Identification on the label/Trade name: Fuel Cells For Nailer

Additional identification:

Identification of the product:

Index Number:

Not available

REACH pre-registration No.:

see section 3

1.2 Relevant identified uses of the substance and uses advised against:

1.2.1 Identified uses:

Combustion.

1.2.2 Uses advised against:

Not available.

1.3 Details of the supplier of the safety data sheet:

Supplier(Only representative): Chemical Inspection & Regulation Service Limited

Supplier(Manufacturer): Nanjing Toua hardware&tools Co.,Ltd

Address: 129#Linqi road,gaoqiao industrial park,dongshan tawn jiangning,nanjing,jiangsu

china ,P.R.211103

 Contact person(E-mail):
 zhoury.67@163.com

 Telephone:
 +86-25-52174022

 Fax:
 +86-25-52285960

1.4 Emergency telephone Number:

+353 41 980 6916

Available outside office hours? YES NO X

Section 2 Hazards Identification

2.1 Classification of the substance/mixture:

2.1.1 Classification:

The substance is classified as following according to 67/548/EEC and REGULATION (EC) No 1272/2008:

REGULATION (EC) No 1272/2008			
Hazard classes/Hazard categories	Hazard statement codes		
Flam. Gas 1	H220		
Press.Gas	H280		

For full text of H- phrases: see section 2.2.

67/548/EEC			
Hazards characteristics	R-Phrases		
F+	R12		

For full text of R- phrases: see section 16.

2.2 label elements:

Hazard Pictograms:





Signal Word(S): Danger

Hazard Statement: H220: Extremely flammable gas.

H280: Contains gas under pressure; may explode if heated.

Precautionary statement: P210: Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P377: Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

P381: Eliminate all ignition sources if safe to do so.

P410 + P403: Protect from sunlight. Store in a well-ventilated place.

2.3 Other hazards:

Not available.

Section 3 Composition/information on ingredients

Substance/Mixture: Mixture

Ingredient(s):

Chemical Name	Pre-Registration No.	CAS No.	EC No.	Concentration
Butane	05-2114131909-43-0000	106-97-8	203-448-7	20-60%
Isobutane	05-2118669741-32-0000	75-28-5	200-857-2	20-35%
Propane	05-2114131905-51-0000	74-98-6	200-827-9	20-45%

Section 4 First aid measures

4.1 Description of first aid measures:

In all cases of doubt, or when symptoms persist, seek medical attention.

4.1.1 In case of inhalation:

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician if you feel unwell.

4.1.2 In case of skin contact:

Take off contaminated clothing and shoes. Wash off with soap and plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

4.1.3 In case of eyes contact:

Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Consult a physician if you feel unwell.

4.1.4 In case of ingestion:

Wash out mouth with water, induce vomiting unless directed to do so by medical personnel. Consult a physician if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed:

The product is not classified as harmful to human health effect.

4.3 Indication of any immediate medical attention and special treatment needed:

Product name: Fuel Cells For Nailer

Version #: 1.0 Issue date: 16-12-2014. Revision date: 16-12-2014. 2 / 7

If skin irritation or rash occurs, get medical advice/attention.

Section 5 Fire-Fighting measures

5.1 Extinguishing media:

Suitable extinguishing media: Water spray, foam, carbon dioxide, dry powder.

Unsuitable extinguishing media: Not available.

5.2 Special hazards arising from the

substance or mixture

This material is flammable. In case of fire, the following can be release: Oxides of

carbon and water.

5.3 Special fire fighting methods and

special protective actions for fire-fighters:

As in any fire, wear self-contained breathing apparatus pressure-demand.

MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Use personal protective equipment. Ensure adequate ventilation. If insufficient 6.1.1 For non-emergency personnel:

ventilation, wear suitable respiratory equipment. Avoid inhalation of gas.

Wear an appropriate NIOSH/MSHA approved respirator If leaks. 6.1.2 For emergency responders:

Do not discharge into sewage / drainage system. 6.2 Environmental Precautions:

Stay upwind and away from spill/release. Notify persons down wind of the 6.3 Methods for Containment and Cleaning

up:

spill/release, isolate danger area and keep unauthorized personnel out. Stop spill/release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant. Water spray may

be useful in minimizing or dispersing vapors.

6.4 Reference to other sections: See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

6.5 Additional information: Not applicable.

Section 7 Handling and storage

7.1 Precautions for safe handling:

Avoid breathing vapors or spray mists. Avoid contact with skin and eyes. Contents 7.1.1 Protective measures:

> under pressure. The use of explosion-proof electrical equipment is recommended and may be required. The use of appropriate respiratory protection is advised when

concentrations exceed any established exposure limits.

7.1.2 Advice on general occupational

hvaiene:

Do not eat, drink and smoke in work areas. Wash hands after use. Remove

contaminated clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, including

any incompatibilities:

Store in cool, dry, well-ventilated area away from heavily trafficked areas and emergency exits. Do not allow the temperature where cylinders are stored to exceed 30°C. Cylinders should be stored upright and firmly secured to prevent

falling or being knocked over. Full and empty cylinders should be segregated.

7.3 Specific end use(s): Not applicable.

Section 8 Exposure Controls/Personal Protection

8.1 Control parameters:

Product name: Fuel Cells For Nailer SDS EU Issue date: 16-12-2014. Version #: 1.0 Revision date: 16-12-2014.

8.1.1 Occupational exposure limits:

Substance	CAS No.	Occupational E	xposure Limit	Occupati	onal Expos	sure Limit
Name		Value (8-hour ref	Value (15	-minute refer	ence period)	
		ppm	mg/ m ³	ppm	mg/ m ³	Notes
Butane	106-97-8	600	1430	750	1780	-
Propane	74-98-6	-	-	-	-	Asphx.

8.1.2 Additional exposure limits under the

Not available.

conditions of use:

8.1.3 DNEL/DMEL and PNEC-Values: Not available.

8.2 Exposure controls:

8.2.1Appropriate engineering controls: If current ventilation practices are not adequate to maintain airborne concentrations

below the established exposure limits, additional engineering controls may be required. Where explosive mixtures may be present, electrical systems safe for

such locations must be used.

8.2.2 Individual protection measures, such as personal protective equipment:

Eye/face protection: Wear safety goggles.

Hand protection: Wear safety gloves to prevent any possibility of liquid contact and repeated or

prolonged vapor contact.

Body protection: Protective clothing to prevent any possibility of liquid contact and repeated or

prolonged vapor contact.

Respiratory protection: In case of brief exposure or low pollution, use respiratory filter device. In case of

intensive or longer exposure, use self-contained respiratory protective device.

Thermal hazards: Wear suitable protective clothing to prevent heat.

8.2.3 Environmental exposure controls: Avoid discharge into the environment.

According to local regulations, Federal and official regulations.

Section 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties:

Appearance: Gaseous

Colour: Colorless

Odour: Odorless

Odour threshold: Not available

pH: Not available

Melting point/range (°C): -160 °C /-187.1 °C

Boiling point/range (°C):

Flash point (°C):

Evaporation rate:

Not available

Flammability limit - lower (%):

Flammability (solid, gas):

Ignition temperature (°C):

Not available

Upper/lower flammability/explosive limits: 9.5/ 1.8

Vapour pressure:11.8bar/50 $^{\circ}$ CVapour density:Not availableDensity:1.56 / 2.01

Product name: Fuel Cells For Nailer

Version #: 1.0 Issue date: 16-12-2014. Revision date: 16-12-2014. 4 / 7

Bulk density (kg/m³): Not available Water solubility (g/l): Slightly soluble n-Octanol/Water (log Po/w): Not available **Auto-ignition temperature:** Not available **Decomposition temperature:** Not available Viscosity, dynamic (mPa.s): Not available Not available **Explosive properties:** Not available **Oxidising properties:** Molecular Formula: Not available Not available **Molecular Weight:**

9.2. Other information:

Fat solubility(solvent- oil to be specified) Soluble in alcohol, ether.

etc:

Surface tension:

Dissociation constant in water(pKa):

Not available

Oxidation-reduction Potential:

Not available

Section 10 Stability and reactivity

10.1 Reactivity:The substance is stable under normal storage and handling conditions.

10.2 Chemical stability:Stable at room temperature in closed containers under normal storage and handling

conditions.

10.3 Possibility of hazardous reactions: No dangerous reactions known.

10.4 Conditions to avoid: Incompatible materials. Avoid high temperatures. Avoid all possible sources of

ignition.

10.5 Incompatible materials: Strong oxidizing agents.

10.6 Hazardous decomposition products: Carbon monoxide, carbon dioxide.

Section 11 Toxicological information

11.1 Toxicokinetics, metabolism and distribution:

Non-human toxikological data: Not available

11.2 Information on toxicological effects:

Acute toxicity:

Not available LD50(Oral, Rat): LD50(Dermal, Rabbit): Not available Not available LC50(Inhalation, Rat): Skin corrosion/Irritation: Not classified Not classified Serious eye damage/irritation: Not classified Respiratory or skin sensitization: Not classified Germ cell mutagenicity: Carcinogenicity: Not classified Reproductive toxicity: Not classified STOT- single exposure: Not classified STOT-repeated exposure: Not classified

Product name: Fuel Cells For Nailer

Version #: 1.0 Issue date: 16-12-2014. Revision date: 16-12-2014. 5 / 7

Section 12 Ecological information

Toxicity:

Acute t	oxicity	Time	Species	Method	Evaluation	Remarks
LC50	N/A	96h	Fish	OECD 203	N/A	N/A
EC50	N/A	48h	Daphnia	OECD 202	N/A	N/A
EC50	N/A	72h	Algae	OECD 201	N/A	N/A

Persistence and degradability:

Bioaccumulative potential:

Mobility in soil:

Results of PBT&vPvB assessment:

Other adverse effects:

Not available.

Not available.

Section 13 Disposal considerations

13.1 Waste treatment methods: The material should be disposed of by incineration in a chemical incinerator in

compliance with national and regional requirements.

13.2 Product / Packaging disposal: If empty container retains product residues, all label precautions must be observed.

Return for reuse or dispose according to national or local regulations.

Section 14 Transport information					
	Land transport(ADR/RID)	Sea transport (IMDG)	Air transport (ICAO/IATA)		
UN-Number	1950	1950	1950		
UN Proper shipping name	Aerosols	Aerosols	Aerosols		
Transport hazard Class	2.1	2.1	2.1		
Packaging group	Not regulated	Not regulated	Not regulated		
Environmental hazards	No	No	No		
Special precautions for user	See section 2.2	See section 2.2	See section 2.2		
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not regulated	Not regulated	Not regulated		

Section 15 Regulation information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Relevant information regarding authorization: Not applicable.

Relevant information regarding restriction: Not applicable.

Other EU regulations: Employment restrictions concerning young person must be observed. For

use only by technically qualified individuals.

Other National regulations: Not applicable

Chemical Safety Assessment has been carried out? YES NO X

Section 16 Other information

16.1 Indication of changes:

Version 1.0 Amended by EU No 453/2010

16.2 Relevant R- phrases (number and full text):

R12 Extremely flammable.

16.3 Training instructions:

Not applicable.

16.4 Further information:

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

16.5 Notice to reader:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgment of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Author: Hangzhou CIRS Co., Limited Website: www.cirs-group.com Tel:0571-87206555 Email:info@cirs-group.com

Product name: Fuel Cells For Nailer SDS EU Issue date: 16-12-2014. Revision date: 16-12-2014. Version #: 1.0 7/7