

RT-HSSC HSS COBALT DRILL BITS

Cobalt HSS drill bits for a precise drilling in stainless steel

FEATURES AND BENEFITS

Manufactured to DIN 338 standard, which ensures constant parameters and sizes of the drill bits.

Cobalt content allows you to drill in stainless steel and hard steel.

Point angle of 135° enables you to drill in hard steel.

Ground spiral enables you to drill precisely.

Drill bits made of high-quality HSS M35 steel, which contains 5% of cobalt, enhancing hardness, heat resistance, which increases their durability and life time.

Double-sided geometry of the point (SPLIT POINT) ensures ideal centring and reduces pressure while drilling.

SUBSTRATES



Metal sheet & profiles




Stainless steel



Structural steel



Non-ferrous metals





APPLICATIONS

Steel structures



LOGISTICAL DATA

SKU	Diameter	Length	Base-sales unit	Unit pack	Bulk pack	Single Package - Gross Weight	Bulk Package - Gross Weight	Barcode
RT-HSSC-010	1.0	34.0	pack	200.0	1000.0	1.2	6.6	5906675345871
RT-HSSC-015	1.5	40.0	pack	200.0	1000.0	1.2	6.6	5906675345888
RT-HSSC-020	2.0	49.0	pack	120.0	600.0	0.9	4.8	5906675345895
RT-HSSC-025	2.5	57.0	pack	120.0	600.0	1.0	5.4	5906675345901
RT-HSSC-030	3.0	61.0	pack	120.0	600.0	1.1	6.0	5906675345918
RT-HSSC-031	3.1	63.0	pcs.	85.0	425.0	0.8	4.5	5906675345925
RT-HSSC-032	3.2	65.0	pcs.	85.0	425.0	0.8	4.5	5906675345932
RT-HSSC-033	3.3	68.0	pcs.	85.0	425.0	0.9	4.9	5906675345949
RT-HSSC-035	3.5	70.0	pcs.	85.0	425.0	1.0	5.4	5906675345956
RT-HSSC-040	4.0	75.0	pcs.	70.0	350.0	1.0	5.2	5906675345963
RT-HSSC-041	4.1	75.0	pcs.	70.0	350.0	1.0	5.2	5906675345970
RT-HSSC-042	4.2	78.0	pcs.	70.0	350.0	1.0	5.2	5906675345987
RT-HSSC-043	4.3	78.0	pcs.	70.0	350.0	1.0	5.2	5906675345994
RT-HSSC-045	4.5	80.0	pcs.	70.0	350.0	1.0	5.6	5906675346007
RT-HSSC-048	4.8	82.0	pcs.	60.0	300.0	1.0	5.5	5906675346014
RT-HSSC-049	4.9	84.0	pcs.	60.0	300.0	1.0	5.5	5906675346021
RT-HSSC-050	5.0	86.0	pcs.	60.0	300.0	1.0	5.5	5906675346038
RT-HSSC-051	5.1	90.0	pcs.	60.0	300.0	1.1	5.8	5906675346045
RT-HSSC-055	5.5	93.0	pcs.	60.0	240.0	1.2	5.4	5906675346052
RT-HSSC-060	6.0	93.0	pcs.	50.0	250.0	1.1	5.9	5906675346069
RT-HSSC-065	6.5	101.0	pcs.	50.0	250.0	1.3	7.2	5906675346076
RT-HSSC-070	7.0	109.0	pcs.	50.0	500.0	1.5	15.4	5906675346083
RT-HSSC-075	7.5	109.0	pcs.	50.0	250.0	1.7	8.9	5906675346090
RT-HSSC-080	8.0	117.0	pcs.	25.0	125.0	1.0	5.7	5906675346106
RT-HSSC-085	8.5	117.0	pcs.	25.0	300.0	1.1	13.9	5906675346113
RT-HSSC-090	9.0	125.0	pcs.	20.0	100.0	1.0	5.6	5906675346120
RT-HSSC-095	9.5	125.0	pcs.	20.0	100.0	1.2	6.3	5906675346137
RT-HSSC-100	10.0	133.0	pcs.	20.0	100.0	1.3	7.2	5906675346144
RT-HSSC-110	11.0	142.0	pcs.	18.0	90.0	1.4	7.7	5906675346151
RT-HSSC-120	12.0	151.0	pcs.	16.0	80.0	1.7	9.0	5906675346168
RT-HSSC-130	13.0	151.0	pcs.	16.0	80.0	1.9	10.1	5906675346175

RELATED PRODUCTS

DRILLING	Automatic	Cordless Rawldriver 55Nm, 18V R-PDD18-55-M2 	Cordless Rawldriver 70Nm, 18V R-PDD18-70-M2 	Cordless drill/driver 18V 100Nm R-PDD18-P100-S 
	Accessories	Protective gloves for power tools R-PGL-01-10 		