

MN-68-92 Discs depressed centre for steel grinding

Flap discs type 42, with depressed centre, for grinding steel



Features & benefits

- High-quality aluminium oxide provides long service life of the product
- Bakelite bond, reinforced with a mesh, increases disc strength at high revolutions
- Abrasive grain size 30 enhances steel grinding speed
- Disc rigidity S (semi-hard) increases durability and grinding speed

Applications

- For grinding steel and alloy steel
- Intended for using with angle grinders

Users

- Locksmiths
- Tinmen
- Mechanics
- Welders
- Plumbers

Corresponding products

- MN-93-004 Angle grinder 125 mm, 900 W
- MN-93-011 Angle grinder 230 mm, 2300 W
- MN-93-021 Angle grinder 115 mm, 600 W
- MN-93-022 Angle grinder 125 mm, 900 W
- MN-93-023 Angle grinder 125 mm, 1010 W
- MN-93-025 Angle grinder 230 mm, 2300 W
- MN-93-034 Angle grinder 125 mm, 1200 W

Technical properties

Index	Outer diameter of the disc [mm]	Internal diameter of the disc [mm]	Thickness of the convex disc [mm]	Box [pcs]	Outer [pcs]	Box weight [kg]	Outer weight [kg]	EAN
MN-68-921	115	22.23	6	25	100	3.6	14.4	5906757162938
MN-68-922	125	22.23	6	25	100	4.4	17.4	5906757162945
MN-68-923 *	180	22.23	6	25	50	9.0	17.9	5906757162952
MN-68-925	230	22.23	6	10	30	5.9	17.7	5906757162969

* Discontinued

Warnings



- Always use eye protection
- Always use gloves
- Always use dust mask
- Always use ear protection
- Always use safety workwear
- Maximum grinder operating speed is 80m/s